

# *Mopping Products for Critical Environments*



**VWR**   
1.800.932.5000      **vwr.com**

 **CONTEC**<sup>®</sup>  
Mission-critical cleaning and contamination control.



## Contec offers unparalleled on-site technical support and training.

*Challenge us with your unique application!*

Our line was developed by listening to customers and designing products to meet the unique performance criteria required in their applications. We invite you to share your challenging applications with us. We have regional technical specialists who work with our professional sales staff who will come to your location and recommend the best product and practice for your needs. If necessary we can develop unique custom solutions to your problems.

### Global Reach

Contec owns and operates manufacturing facilities in Spartanburg, South Carolina and Suzhou, China and has distribution centers in Toledo, Ohio, and Theix, France. Both manufacturing facilities are certified to ISO 9001:2008. Contec has operational, sales, and technical service teams in North America, Europe, and Asia. These facilities and dedicated team members give Contec the ability to provide product and technical support to multinational customers with global needs.

### Contec Quality

Our employees are committed to meeting each customer's specifications and exceeding each customer's expectations. We achieve this through the periodic review and continuous improvement of all processes in our management system. Our ISO certification ensures customers of consistent quality products – from development to delivery.

### Customer Support

Let Contec help solve your cleaning and mopping challenges. Product samples, demonstrations and trials are always offered free-of-charge. To locate a Contec Sales Representative or Technical Specialist in your region, use our Sales Rep Locator on our web site. To order Contec cleaning products, contact your VWR Sales Representative or visit [www.vwr.com](http://www.vwr.com).

## Contact Us



# Contec® Mopping Systems

## The most complete line of cleaning tools for cleanrooms and controlled environments

Over the past 20 years, Contec has developed the most complete line of mopping and cleaning products for critical environments. Whether disinfecting or cleaning floors, walls, ceilings or inside bio-safety cabinets and isolators, Contec has a mop or cleaning tool that meets the demanding requirements of today's high-tech industries. Many of our mops are available validated sterile for use in aseptic environments. Mop hardware and bucket systems are fully autoclavable, unless otherwise noted. We also offer a selection of mops and buckets for customers with limited storage space.



Edgeless® Floor Mops .....	2
VertiKlean® Wall Washing System .....	4
VertiKlean® MAX™ Mopping System .....	6
EasyReach™ Isolator Cleaning Tool .....	8
EasySat™ Bucketless Floor Mop .....	8
QuickTask™ Flat Mops .....	9
Tax-Fre® Dry Mop .....	9
EasyCurve™ Mop .....	10
QuickConnect™ Mop Hardware .....	11
Buckets and Carts .....	12

*Note: Sterile part numbers are printed in green throughout this brochure*



## Edgeless® Mopping System

Traditional and textured polyester tube mops are the cleanest floor mopping system available for critical environments!

Edgeless Mops are made from strong, durable knitted polyester, eliminating contamination from breakage and deterioration common with cotton and rayon string mops. Cleanroom laundered Edgeless Mops are made from a continuous tube of 100% polyester knitted fabric looped to form tubular mop strands that will not shed or break. Our patented Textured and Long Textured Edgeless Mops are made with unique ribbed, twisted strands that provide additional sorbency.

Edgeless Mops have a textured head band that is ideal when extra scrubbing is required for hard-to-clean areas. All mops feature polyester tail bands for a more controlled mopping motion. The Long Textured Edgeless Mops are now available with colored tail bands for area segregation to eliminate cross-contamination.

Original Edgeless Mops and Textured Edgeless Mops are available sterilized by gamma radiation and validated per the AAMI/ISO Guidelines to a 10<sup>-6</sup> SAL. They can also be sterilized by ETO and steam (autoclave) sterilization methods. Validation reports available upon request

Designed for use with aqueous solutions containing cleaning agents and disinfectants, Edgeless Mops are compatible with a wide range of chemicals.


Edgeless mops work well with existing string mop hardware; however, we highly recommend a down-press wringer for proper liquid extraction.

Contec offers several compatible bucket systems for all styles of Edgeless Mops. Please see pages 12-15 for bucket options.

EL

### APPLICATIONS

- *Designed for semiconductor, pharmaceutical, biotech, and medical device industries for lab clean up and process area cleaning.*
- *Ideal for general purpose cleaning in ISO Class 3 as well as less critical environments such as Animal Lab facilities.*
- *Designed for wet/damp mopping.*
- *Rugged polyester construction is ideal for tough cleaning tasks.*
- *Compatible with a wide range of chemicals and disinfectants.*



### ORIGINAL

#### Edgeless® Mop

Traditional tube construction.  
(68300-353, 68310-119)



### TEXTURED

#### Textured Edgeless® Mop

Unique ribbed, twisted strands that are more sorbent.  
(80080-578, 80080-582)



### LONG

#### Long Textured Edgeless® Mop

Ribbed, twisted strands and additional length for extra liquid capacity. Ideal for cleaning larger areas.  
(94002-784, 94002-794, 94002-790, 94002-792, 94002-788, 94002-786)



FEATURES	BENEFITS
<b>All Edgeless® Mops</b>	
100% Polyester fiber construction	Durable, chemical resistant; resistant to mold and mildew.
Continuous loop of mop strands	Provides improved cleanliness, eliminating cut edges.
Tail band	Improved control of mopping motion. Easier mopping around table and equipment legs and wheels.
Textured large head band	Provides scrubbing power for difficult stains and debris.
Chemical resistant	Compatible with wide range of chemicals and disinfectants.
<b>Original Edgeless® Mop</b> (68300-353, 68310-119)	
Available Validated Sterile	Assured Sterility; complete validation documentation available.
<b>Textured Edgeless® Mop</b> (80080-578, 80080-582)	
Mop strands with enhanced rib design	Twisted strands increase sorbent capacity of mop.
Available Validated Sterile	Assured Sterility; includes proper documentation.
<b>Long Textured Edgeless® Mop</b> (94002-784, 94002-794, 94002-790, 94002-792, 94002-788, 94002-786)	
100% Polyester fiber construction	Durable: eliminates cotton mop fibers that can be a food source for mold and bacteria in the facility.
Rugged knitted construction	Lasts up to 10 times longer than traditional mops. Can be laundered or processed in commercial washers.
Longer mop head	Holds more liquid for mopping larger areas.
Colored tail band	Allows designation of mops to specific areas within the same facility.
Special Gray Mop	For use in "dirty" areas; gray mop strands maintain a consistent appearance over the life of the mop.

Contec's Long Textured Edgeless Mops feature colored tail bands for area segregation to eliminate cross-contamination.



Covered by US patent No. 7389559

**ORDERING INFORMATION**

VWR Cat. No.	Contec Part No.	Description
<b>Edgeless® Mops</b>		
68300-353	EL-MOP	Edgeless Mop
68310-119	EL-MOP IR	Edgeless Mop, sterile
80080-578	ELMOP3	Textured Edgeless Mop, white tail band
80080-582	ELMOP3IR	Textured Edgeless Mop, white tail band, sterile
94002-784	EL-MOPT	Long Textured Edgeless mop head
94002-794	ELTC-GRN	Long Textured Edgeless mop head, green tail band
94002-790	ELTC-BLK	Long Textured Edgeless mop head, black tail band
94002-792	ELTC-RED	Long Textured Edgeless mop head, red tail band
94002-788	ELTC-BLU	Long Textured Edgeless mop head, blue tail band
94002-786	EL-MOPT-GY	Long Textured Edgeless mop head, gray
<b>Handles</b>		
33502-718	2646	Dynamate QuickConnect lightweight mop head frame, 6" x 7" (15 x 18cm)
89073-978	2725	QuickConnect handle, 60" (152cm), stainless steel, lightweight, 1 piece
33502-715	2643	QuickConnect handle, 50" (127cm) extends to 92" (234cm), anodized aluminum
33502-717	2645	QuickConnect handle, 50" (127cm) extends to 92" (234cm), stainless steel
68310-012	2640	Handle w/ mop head frame, 1 piece, 60" (152 cm), stainless steel
68310-014	2641	Handle w/ mop head frame, 2 piece, 60" (152 cm), stainless steel
68310-048	A71612	Handle w/ mop head frame, 1 piece, 64" (162 cm), fiberglass, non-autoclavable (not pictured)

**QuickConnect™ Mop Hardware**

Contec offers a variety of stainless steel, anodized aluminum, and fiberglass handles for the Edgeless Mop system. See page 11 for more information.

**QuickConnect™ Dynamate® Edgeless® Mop Head Frame:** Interchangeable mop head frame is constructed out of Delrin® and aluminum and features a quick-connect button that allows for easy attachment to compatible handles. Fully autoclavable. Use with Contec QuickConnect interchangeable handles.

**QuickConnect Mop Handles:** Stainless steel and aluminum handles attach to the Dynamate Edgeless Mop Head Frame with the push of a button. We recommend the QuickConnect 60" (152cm) stainless steel one piece handle for most applications. Lightweight anodized aluminum or electro-polished stainless steel 50" (127cm) handles that extend to 92" (234cm) are also available. Fully autoclavable.



33502-718 (2646)

89073-978 (2725)

**Integrated handles:** 1 piece stainless steel handle; 2 piece stainless steel handle breaks down for easy autoclaving. A fiberglass handle is available for non-sterile.



68310-012 (2640), 68310-014 (2641)



Covered by US Patent Nos.  
5507065, 5678278

## VertiKlean® Wall Washing System

Lightweight polyester disposable mop designed for vertical surfaces

VertiKlean mop heads are made by laminating a polyester clean room knit fabric to clean ester foam. The foam carries solvents and disinfectants to the surface and the polyester fabric offers excellent abrasion resistance and helps distribute the liquid uniformly on the surface being cleaned. The mops are laser cut to seal the edges, further limiting potential contamination in the mopping process. VertiKlean mops contain no cellulose and are compatible with gamma, ETO, and autoclave sterilization. For those applications requiring additional scrubbing performance, there is a VertiKlean mop with a textured surface.

### FEATURES & BENEFITS

- Intended for one-time use, economical mop heads are available in 3 sizes for a variety of cleaning tasks.
- For aseptic processing or sterile core areas, our sterile VertiKlean mop heads provide truly validated sterility to a Sterility Assurance Level of 10<sup>-6</sup> in accordance with standards and recommended practices of the AAMI Guidelines. Validation reports can be available upon special request.
- Compatible with a wide range of chemicals, detergents, disinfectants and cleaners.
- VertiKlean Sox mop head covers are available for all sizes of VertiKlean mop heads. Presaturated and Sterile covers can be available upon special request.

### APPLICATIONS

- *Developed for applying disinfectants and wet cleaning ceilings and walls in controlled environments.*
- *Provides a complete range of motion. Ideal for reaching awkward corners and ceilings.*



**VK**

#### REGULAR

**DIMENSIONS**  
8 x 4 x 1in (22 x 11 x 2cm)

**MOP HEAD**  
68310-408, 89068-854, or 33501-072

**MOP HEAD FRAME**  
33502-719

**HANDLE**  
Any QuickConnect handle; shown with 33502-717



**MVK**

#### MEDIUM

**DIMENSIONS**  
13 x 4 x 1in (32 x 11 x 2cm)

**MOP HEAD**  
68310-143, 12777-968, 33501-062, or 33501-060

**MOP HEAD FRAME**  
33502-720

**HANDLE**  
Any QuickConnect handle; shown with 33502-715



**LVK**

#### LARGE

**DIMENSIONS**  
15 x 4 x 1 (39 x 11 x 2cm)

**MOP HEAD**  
68310-139, 12777-966, 33501-058 or 33501-068

**MOP HEAD FRAME**  
33502-721

**HANDLE**  
Any QuickConnect handle; shown with 89073-978

**VERTIKLEAN® SOCK**



**VertiKlean Sox mop head covers**

The VertiKlean Sox is a removable cover designed to increase the durability of the VertiKlean Mop when used on rough surfaces. Mop head covers are made from knitted fabric for added durability and added liquid retention. Presaturated covers are available; please call for details.


**Textured VertiKlean mop heads**

Offered in three sizes, Textured VertiKlean mop heads have a rugged textured polyester face for those applications that require extra scrubbing.


**VertiKlean Sponge**

Absorbent, abrasion-resistant cleanroom sponge is made of the same material as our VertiKlean mops. Autoclavable. (VKSPONGE-1, VKST0003)

**TEXTURED VERTIKLEAN® MOP**



**VERTIKLEAN® SPONGE**



**QuickConnect™ Hardware**

- Lightweight swivel frame slips inside the mop head to provide easy maneuverability and full range of motion. Ideal for reaching ceilings and awkward corners, as well as under and over machinery, equipment, and tables.
- QuickConnect mop head frames easily snap into a wide variety of handles with the push of a button. Available in 3 sizes to fit coordinating VertiKlean and VertiKlean MAX mop heads.
- QuickConnect handles are available in stainless steel, anodized aluminum, and fiberglass. Fully autoclavable.
- Contec offers several stainless steel and durable polypropylene bucket options to complement the VertiKlean system. All buckets are autoclavable. See pages 12-15.

**ORDERING INFORMATION**

VWR Cat. No.	Contec Part No.	Description
<b>VertiKlean® Regular</b>		
68310-408	VK-MOP	VertiKlean mop head, 8.5" x 4.25" x 1" (21 x 11 x 3cm)
89068-854	VK-MOPIR	VertiKlean mop head, 8.5" x 4.25" x 1" (21 x 11 x 3cm), sterile
33501-072	TVKMOP	VertiKlean mop head, 8.5" x 4.25" x 1" (21 x 11 x 3cm), textured
68310-336	VK-SOX	VertiKlean Sox mop head cover, clean-processed polyester, for VK-MOP
33502-719	2651A	QuickConnect mop head frame, 7.5" (19cm) for VertiKlean
68310-566	2665	Stainless steel handle with mop head frame, 60" (152cm), 1 piece, for VertiKlean
<b>VertiKlean® Medium</b>		
68310-143	MVK-MOP	Medium VertiKlean mop head, 12.75" x 4.25" x 1" (32 x 11 x 3cm)
12777-968	MVK-MOPIR	Medium VertiKlean mop head, 12.75" x 4.25" x 1" (32 x 11 x 3cm), sterile
33501-062	TMVKMOP	Medium VertiKlean mop head, 12.75" x 4.25" x 1" (32 x 11 x 3cm), textured
33501-060	TMVKMOPIR	Medium VertiKlean mop head, 12.75" x 4.25" x 1" (32 x 11 x 3cm), textured, sterile
22221-806	MVK-QT-SOX	VertiKlean Sox mop head cover, clean-processed Quiltex I, for MVK-MOP
33502-720	2652A	QuickConnect mop head frame, 11.5" (29cm), for Medium VertiKlean only
68310-034	2677	Stainless steel handle w/ mop head frame, 60" (152cm), 1 piece, for Medium VertiKlean only
<b>VertiKlean® Large</b>		
68310-139	LVK-MOP	Large VertiKlean mop head, 15.25" x 4.25" x 1" (39 x 11 x 3cm)
12777-966	LVK-MOPIR	Large VertiKlean mop head, 15.25" x 4.25" x 1" (39 x 11 x 3cm), sterile
33501-058	TLVKMOP	Large VertiKlean mop head, 15.25" x 4.25" x 1" (39 x 11 x 3cm), textured
33501-068	TLVKMOPIR	Large VertiKlean mop head, 15.25" x 4.25" x 1" (39 x 11 x 3cm), textured, sterile
33500-040	LVK-SOX	VertiKlean Sox mop head cover, polyester for LVK-MOP
33502-721	2653A	QuickConnect mop head frame, 14" (36cm), for Large VertiKlean only
68310-018	2667	Stainless steel handle w/ attached mop head frame, 60" (152cm), 1 piece, for Large VertiKlean only
<b>Handles</b>		
89073-978	2725	QuickConnect handle, 60" (152cm), stainless steel, lightweight, 1 piece
33502-715	2643	QuickConnect handle, 50" (127cm), extends to 92" (234cm), anodized aluminum
33502-717	2645	QuickConnect handle, 50" (127cm), extends to 92" (234cm), stainless steel
89074-018	2671A	QuickConnect handle, extends to 16' (4.9m), anodized aluminum, 4 piece
89198-836	2746	QuickConnect handle, 69" (175cm), extends to 130" (330cm), fiberglass





## VertiKlean® MAX™ Disposable polyester and foam mop

The VertiKlean® MAX™ Mopping System is designed for cleaning and application of disinfectants to walls, ceilings and other hard to reach surfaces. The disposable absorbent mop head features hydrophilic polyurethane foam laminated to polyester fabric backed by a semi-rigid thermoformed plate that easily snaps onto a VertiKlean mop head frame. While it's performance is similar to that of our industry-standard VertiKlean mops, VertiKlean MAX offers increased sorbency and has a slimmer profile for cleaning in tighter spaces.

Compatible with Contec's QuickConnect mop handles, the pivoting mop head frame makes it easy to clean around door and window frames as well as light fixtures and heavy equipment. Extension handles allow for cleaning up to 15' (4.5m).

### FEATURES & BENEFITS

- Light weight mop reduces stress on maintenance staff.
- Retains liquid better than competitive products.
- Enables uniform application of disinfectants.
- Lasts longer than traditional sponge mops.
- Available in three sizes for a wide range of cleaning applications.
- Available Gamma irradiated. Validated sterile to a Sterility Assurance Level of 10<sup>-6</sup> one of the strictest guidelines established by the AAMI. *NOTE: Autoclaving of VertiKlean MAX is not recommended, due to the thermoformed plastic backplate.*
- To increase the durability of the VertiKlean MAX Mop, VertiKlean Sox mop head covers are available for all sizes.
- For added flexibility, various dry and presaturated disposable cleanroom wipes are available to fit the unique design of the VertiKlean MAX Mop. See our web site for compatible cleanroom wipe options.

### APPLICATIONS

- Designed for applying disinfectants and cleaning both horizontal and vertical surfaces.
- Ideal for general cleaning of ceilings, walls, and floors.
- Cleaning around door and window frames, light fixtures, and heavy equipment.
- Small size is appropriate for confined spaces such as fume hoods, isolators, bio-safety cabinets and mini environments.
- Large VertiKlean MAX is ideal for covering broader surfaces.

U.S. Patent No. 7,543,351;  
U.S. Design Patent No. D566,916

#### REGULAR

**DIMENSIONS**

8 x 4 x 1in. (21 x 11 x 2cm)

**MOP HEAD**

89073-992 or 89073-994

**MOP HEAD FRAME**

33502-719

**HANDLE**

any QuickConnect handle



**VMX1**

#### MEDIUM

**DIMENSIONS**

13 x 4 x 1in (32 x 11 x 2cm)

**MOP HEAD**

89073-996 or 89073-998

**MOP HEAD FRAME**

33502-720

**HANDLE**

any QuickConnect handle



**VMX2**

#### LARGE

**DIMENSIONS**

15 x 4 x 1in (38 x 11 x 2cm)

**MOP HEAD**

89074-000

**MOP HEAD FRAME**

33502-720

**HANDLE**

any QuickConnect handle



**VMX3**

**CLEANROOM WIPES** For added flexibility, the unique design of VertiKlean MAX allows various dry and presaturated wipes to be used with the mop head and frame. New improved grippers firmly grasp Contec wipes without pinching gloved fingers. Wipes and solvent blends are available to match the critical needs of each end user. Please visit our website for a complete list of compatible part numbers.



**QuickConnect™ Hardware**

*VertiKlean MAX has been designed to work with our QuickConnect mop handles. See page 11 for all available stainless steel and anodized aluminum handle options.*

*Our QuickConnect mop head frames and handles offer maximum flexibility for cleaning in critical environments. Invest in one handle and the various interchangeable heads required for your specific applications. Telescoping and fixed-length handles are available in lightweight anodized aluminum, fiberglass or durable electro-polished stainless steel. Mop head frames feature a capped end for maximum cleanliness; a quick-connect button allows for easy attachment to all sizes and styles of Contec QuickConnect handles.*

**ORDERING INFORMATION**

VWR Cat. No.	Contec Part No.	Description
<b>VertiKlean® MAX™ Regular</b>		
89073-992	VKMX0100	VertiKlean MAX mop head, 8.4 x 4.3 x 0.7" (21 x 11 x 2cm)
89073-994	VKMX0150	VertiKlean MAX mop head, sterile
33502-719	2651A	QuickConnect mop head frame, 7.5" (19cm), for VKMX0100 and VKMX0150
68310-336	VK-SOX	VertiKlean Sox mop head cover, clean processed polyester, for VKMX0100, VKMX0150
<b>VertiKlean® MAX™ Medium</b>		
89073-996	VKMX0200	Medium VertiKlean MAX mop head, 12.8 x 4.3 x 0.7" (32 x 11 x 2cm)
89073-998	VKMX0250	Medium VertiKlean MAX mop head, sterile
33502-720	2652A	QuickConnect mop head frame, 11.5" (29cm), for VKMX0200 and VKMX0250
22221-806	MVK-QT-SOX	VK Sox mop head cover, clean processed polyester, for VKMX0200 and VKMX0250
<b>VertiKlean® MAX™ Large</b>		
89074-000	VKMX0300	Large VertiKlean MAX mop head, 15 x 4.3 x 0.7" (38 x 11 x 2cm)
33502-720	2652A	QuickConnect mop head frame, 11.5" (29cm), for VKMX0300
33500-040	LVK-SOX	VK Sox mop head cover, polyester for VKMX0300
<b>Handles</b>		
89073-978	2725	QuickConnect handle, 60" (152cm), stainless steel, lightweight, 1 piece
33502-715	2643	QuickConnect handle, 50" (127cm), extends to 92" (234cm), anodized aluminum
33502-717	2645	QuickConnect handle, 50" (127cm), extends to 92" (234cm), stainless steel
89074-018	2671A	QuickConnect handle, extends to 16' (4.9m), anodized aluminum, 4 piece
89198-836	2746	QuickConnect handle, 69" (175cm), extends to 130" (330cm), fiberglass





### EASYREACH CLEANING PADS

- Extra thick quilted polyester pads are very absorbent and hold cleaning solutions well, enabling easy cleaning.
- Well-fitted EasyReach pad ensures effective, even surface coverage reducing the number of viable and non-viable contaminants and ensuring maximum residue removal.
- Specially designed tab enables quick and easy fitting to the frame with gloved hands.
- Double bagged to ensure no bioburden is added to the critical environment. Available validated sterile.
- Available presaturated with 70% IPA or ETOH and 30% DI Water.

## EasyReach™ Cleaning Tool

For isolators, cabinets and laminar air flow hoods


Made from lightweight stainless steel and 16.5" (42cm) long, the EasyReach cleaning tool is easily passed through transfer hatches, requires no assembly and is maintenance-free. EasyReach is fully autoclavable and simple to use with one hand. The low profile, 360 degree pivoting head ensures even the most awkward areas can be quickly reached with minimum effort. Use with a variety of disposable absorbent EasyReach Cleaning Pads, created with easy installation and removal in mind. For convenience, EasyReach Cleaning Pads are available presaturated.

A QuickConnect EasyReach mop head is also available, and is compatible with longer QuickConnect extension handles.

### APPLICATIONS


EasyReach is recommended for effective cleaning and disinfection of surfaces in:

- Isolators - rigid, flexible film, half suits
- Restricted Access Barrier Systems (RABS)
- Filling Lines
- Laminar Air Flow Hoods
- Bio-Safety Cabinets
- Glove Boxes
- Incubators
- Mini Environments



### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
89094-584	2665SF	EasyReach Cleaning Tool, 16.5" (42cm), lightweight stainless steel
89107-994	2685	QuickConnect EasyReach mop head frame, 7.5"(19cm), stainless steel
89107-996	2686	QuickConnect handle 16" (40.6cm), stainless steel, lightweight
33502-714	2642	QuickConnect handle, 16" (40.6cm) extends to 30" (76.2cm), anodized aluminum
33502-716	2644	QuickConnect handle, 16" (40.6cm) extends to 30" (76.2cm), stainless steel
89094-578	MEQT0001	EasyReach Cleaning Pads, quilted polyester
89094-580	MEQT0002	EasyReach Cleaning Pads, quilted polyester, sterile
89094-582	PSME0001	EasyReach Cleaning Pads, quilted polyester, presaturated with 70% IPA, sterile



## EasySat™ Bucketless Floor Mop

Autoclavable Bucketless Floor Mop

Contec's EasySat Bucketless Floor Mop is an effective and quick solution to your cleaning challenges. Designed for the cleanroom floor, this innovative mop is easy to use — the built-in 52 ounce (1.5L) solution tank completely eliminates the need for a bucket and wringer. Disposable mop heads are made from our knitted polyester/clean ester foam VertiKlean material and attach to hardware in seconds using traditional hook and loop fasteners. EasySat is for floor use only.

### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
33501-534	BLMOP	EasySat Bucketless Floor Mop System
33501-536	BLVKMOP	EasySat mop head, 21.5" x 4.75" x 18" (55 x 12 x 46cm)
33501-540	TBLVKMOP	EasySat mop head, 21.5" x 4.75" x 18" (55 x 12 x 46cm), textured
33501-538	BLVKMOPIR	EasySat mop head, 21.5" x 4.75" x 18" (55 x 12 x 46cm), sterile
33501-542	TBLVKMOPIR	EasySat mop head, 21.5" x 4.75" x 18" (55 x 12 x 46cm), textured, sterile

### FEATURES & BENEFITS

- Solution tank holds up to 52 ounces (1.5L) and cleans up to 5,000 square feet (465 m<sup>2</sup>).
- Snug-fitting lid minimizes exposure to chemicals.
- Lightweight mop system weighs only 7 lbs. (3.2 kg) with full tank.
- Trigger flow control mechanism releases cleaning solution on demand or continuously.
- Angled mop head cleans hard-to-reach areas and is available in two styles: smooth surface for standard floor cleaning, and textured surface for more abrasive action.
- Mop head is available Validated Sterile. Gamma irradiated to 10<sup>-6</sup> Sterility Assurance Level, one of the strictest guidelines established by the AAMI/ISO.

## QuickTask™ Mops

The QuickTask product line consists of a variety of knitted polyester and microfiber mop covers that easily slip onto a hinged mop head frame and handle assembly. QuickTask mop head frames are available in stainless steel or durable autoclavable plastic. Mop head covers and frames are compatible with a wide range of disinfectants, chemicals and solutions. Contec offers compatible buckets and carts in autoclavable polypropylene and stainless steel; see page 15 for details.

QT

89198-838 w/ 89198-858  
(2749 w/ TASK0400)

### QuickTask Mop Covers:

#### TASK0200 and TASK0250 (Sterile) 89201-654 and 89198-856

The lightest mop cover in the range, the sorbent cleanroom laundered multi-layer knitted polyester is ideal for use on smooth surfaces. Disposable.

- Sorbent knit structure applies solutions evenly while removing contaminants.
- TASK0250 is sterilized by gamma irradiation.

#### TASK0300 89201-656


The most sorbent mop cover in the range, the blue small loop microfiber construction of 89201-656 provides exceptional performance in removing liquids, soil, residues and other contaminants from most surfaces. Can be laundered and autoclaved.

- Microfiber construction for exceptional sorbency and mop-to-dry performance on wet surfaces.
- Compatible with chlorine solutions.
- Effectively cleans polymeric flooring.

#### TASK0400 89198-858

The cleanest and most durable mop cover in the range, 89198-858 has tubular knit loops that conform to almost any shape, making cleaning of cove bases and ceiling and wall joints easier than with standard flat mops. Cleanroom laundered. Can be repeatedly laundered and autoclaved providing exceptional value.

- Microfiber construction for exceptional sorbency and mop-to-dry performance on wet surfaces.
- Compatible with a wide range of chemicals and disinfectants, including chlorine solutions.



### QuickTask™ Hardware

**Stainless steel and polypropylene mop head frames and handles for QuickTask mops**

Durable and light-weight folding mop head frames are available in blue polypropylene or lightweight stainless steel. Autoclavable; compatible with most common disinfectant solutions and solvents.

Blue polypropylene mop head frame 89201-650 (2740) attaches easily to stainless steel handle 89201-652 (2725E).

Stainless steel mop head 89198-838 (2749) has been designed for use exclusively with all Contec QuickConnect handles.



## ORDERING INFORMATION

VWR Cat. No. Contec Part No. Description

### Contec QuickTask™ Mop Heads

89201-654	TASK0200	QuickTask polyester knit flat mop cover with pockets, approximate size 16" x 6" (41 x 15cm)
89198-856	TASK0250	QuickTask polyester knit flat mop cover with pockets, approximate size 16" x 6" (41 x 15cm), sterile
89201-656	TASK0300	QuickTask flat mop cover with pockets, blue, approximate size 16" x 6" (41 x 15cm)
89198-858	TASK0400	QuickTask polyester microfiber knit loop flat mop cover with pockets, 16" x 6" (41 x 15cm)

### QuickConnect™ Mop Head Frames and Handles

89198-838	2749	QuickTask flat hinged mop head frame, stainless steel; use with all QuickConnect handles
89201-650	2740	QuickTask flat hinged mop head frame, 16" (40cm), blue polypropylene, use with 2725E only
89201-652	2725E	QuickConnect handle, 60" (152cm), stainless steel, lightweight, 1 piece

## Tax-Fre® Mopping System

### Technical tack cloth dry mop

Designed for dry mopping floors and walls, Contec's Tax-Fre mop uses disposable mop covers with a unique non-transferring low-tack adhesive to capture small particles and other debris, leaving surfaces extremely clean without the use of solvents or other liquids. Mop covers feature a soft texture that will not scratch or harm sensitive surfaces. The large trapezoid-shaped mop head swivels on a lightweight 8' (2.4m) telescoping aluminum handle, allowing operators to clean hard-to-reach areas. All Tax-Fre hardware is cleanroom compatible, but not autoclavable.


### APPLICATIONS

- Use to capture small particles and fibers, such as powder, dander, dust, lint, and hair.
- Ideal for cleanroom, laboratory, clinical, and industrial use.
- Tax-Fre is designed for DRY use, not to be used with liquids of any kind.

### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
12777-950	TF-1228	Tax-Fre floor mop covers, 12" x 28" (30.5 x 71cm)
46610-130	UF211	Tax-Fre swivel mop head, 23" x 5" (58.4 x 13cm)
68310-058	WWP08	Aluminum extension handle, 2 piece, 8' (2.4m)

Note: Tax-Fre is not autoclavable.





## EasyCurve™ Mop

The convenience of a self-wringing mop without the ergonomic pain

Contec's EasyCurve mop is designed to provide a single convenient system which can be used on floors, walls, and ceilings. The mop, bucket, and cart system are a compact design which maneuvers easily into most any cleanroom and can be stored in a minimal space. Contec's EasyCurve mophead consists of an outer fabric-lamination to reduce particulation and insure uniform distribution of disinfectants and cleaners. The mop head is attached to a curved, stainless steel frame using a patented latch tab system that is simple and easy to use. The curved head design offers a true "lift and pull" surface cleaning action. The full pivoting head allows effortless surface contact and outstanding maneuverability – making EasyCurve an ideal cleaning tool for ceilings, walls and floors.

Historically, self-wringing mops have been a preferred multi-surface tool, however this convenience comes at a major ergonomic cost to operators who are repeatedly lifting the heavy wringing system with each stroke of the mop. The EasyCurve mop is designed to offer all the convenience of self-wringing

systems without the ergonomic stress and strain on operators arms, shoulders, and back.

EasyCurve mop heads are available in non-sterile and validated sterile versions. All hardware and mop heads are autoclavable.

The EasyCurve mop head frame attaches to a 60" (152.4cm) fixed-length stainless steel handle. For added convenience and flexibility, EasyCurve can be used with our QuickConnect autoclavable aluminum and stainless steel telescoping handles.

### FEATURES & BENEFITS

- Durable polyester fabric outer layer minimizes particle generation.
- Designed to minimize operator strain.
- Compact system designed for all size cleanrooms.
- EasyCurve mopheads are available validated sterile.

EZC

Covered by U.S. Design Patent No. D586,966

### APPLICATIONS

- Designed for use in pharmaceutical and medical device manufacturing plants, hospitals, compounding pharmacies, and other similar critical or controlled environments.
- An outstanding all-surface mop for use on floors, walls, and ceilings.
- An ideal upgrade alternative in applications where sponge roller mops are currently used.

### The Slinger™

The EasyCurve mop uses a separate polyester mesh "sling" style wringer that installs over a 6.5 gallon (25L) polypropylene bucket to completely and easily remove liquid from the mop head. Since the wringer is not on the handle like traditional sponge roller mops, the weight at the end of the handle is reduced by up to 50% in actual use. Both the Slinger™ and bucket are autoclavable.



Bucket 89201-146 (2743) includes Slinger and Stainless Steel frame

### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
89073-988	EZMP0100	EasyCurve disposable mop head, 14" x 4.25" x 0.75" (35.5 x 10.8 x 1.9cm)
89073-990	EZMP0150	EasyCurve disposable mop head, 14" x 4.25" x 0.75" (35.5 x 10.8 x 1.9cm), sterile
89073-976	2724	EasyCurve pivoting mop head frame, stainless steel
89073-978	2725	QuickConnect handle, 60" (152.4cm), stainless steel, lightweight, 1 piece
33502-715	2643	QuickConnect handle, 50" (127cm) extends to 92" (233.7cm), anodized aluminum
33502-717	2645	QuickConnect handle, 50" (127cm) extends to 92" (233.7cm), stainless steel
89201-146	2743	Twin divided bucket w/slinger, 5.3 gal (20L)



## QuickConnect™ Mop Hardware

### Interchangeable Handles and Frames for Contec Mopping Systems

QuickConnect mop head frames and handles offer maximum flexibility for cleaning in critical environments. Invest in one handle and the various interchangeable heads required for your specific applications. Telescoping and fixed-length handles are available in lightweight anodized aluminum, fiberglass or durable electro-polished stainless steel. Mop head frames have a quick-connect button that allows for easy attachment to all sizes and styles of Contec QuickConnect handles. All components are fully autoclavable.

#### QUICKCONNECT MOP HEAD FRAMES:

33502-719 (2651A)    33502-720 (2652A)    33502-721 (2653A)



**VertiKlean® and VertiKlean® MAX**

VertiKlean and VertiKlean MAX frames are constructed of durable stainless steel with aluminum connectors. Available for regular, medium and large mop heads.

33502-718 (2646)



**Edgeless®**

The Edgeless mop head frame is made of heavy-duty autoclavable Delrin® and measures 6" x 7" (15cm x 18cm). Compatible with all styles of Edgeless Mops.

89073-976 (2724)



**EasyCurve™**

EasyCurve mop head frame is made of curved stainless steel with a pivoting stainless steel connector. 14" (35.3cm)

89107-994 (2685)



**EasyReach™**

EasyReach mop head frame is made of lightweight stainless steel, 7.5" (19cm)

#### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
<b>QuickConnect™ Mop Head Frames</b>		
33502-719	2651A	QuickConnect mop head frame, 11.5" (29cm), for Medium VertiKlean or Medium and Large VertiKlean MAX only
33502-720	2652A	QuickConnect mop head frame, 14" (36cm), for Large VertiKlean only
33502-721	2653A	QuickConnect mop head frame, 14" (36cm), for Large VertiKlean only
33502-718	2646	Dynamate QuickConnect lightweight mop head frame, 6" x 7" (15 x 18cm), for Edgeless mops
89073-976	2724	QuickConnect EasyCurve pivoting mop head frame, stainless steel, 14" (36cm)
89107-994	2685	QuickConnect EasyReach mop head frame, stainless steel, 7.5" (19cm)
<b>QuickConnect™ Handles</b>		
33502-714	2642	QuickConnect handle, 16" (41cm) extends to 30" (76cm), anodized aluminum
33502-715	2643	QuickConnect handle, 50" (127cm) extends to 92" (234cm), anodized aluminum
89074-018	2671A	QuickConnect handle, extends to 16' (4.9m), anodized aluminum, 4 piece
33502-716	2644	QuickConnect handle, 16" (41cm) extends to 30" (76cm), stainless steel
33502-717	2645	QuickConnect handle, 50" (127cm) extends to 92" (234cm), stainless steel
89107-996	2686	QuickConnect handle, 16" (41cm), lightweight stainless steel, 1 piece
89073-978	2725	QuickConnect handle, 60" (152cm), stainless steel, lightweight, 1 piece
89201-652	2725E	QuickConnect handle, 60" (152cm), stainless steel, lightweight, 1 piece, for use w/ 89201-650 (2740)
89198-836	2746	QuickConnect handle, 67.5" (171cm) extends to 130" (330cm), fiberglass

#### QuickConnect™ Handles:

*Telescoping and fixed-length handles are available in lightweight anodized aluminum, durable electropolished stainless steel and fiberglass. Autoclavable.*

##### Aluminum Handles

- 16" (41cm) handle extends to 30" (76cm)
- 50" (127cm) handle extends to 92" (234cm)  
16' (4.9m)

##### Stainless Steel Handles

- Telescoping:**
  - 16" (41cm) handle extends to 30" (76cm)
  - 50" (127cm) handle extends to 92" (234cm)
- Fixed Length:**
  - 16" (41cm) handle
  - 60" (152cm) handle

##### Fiberglass Handles

- 69" (175cm) handle extends to 130" (330cm)





**Mop Key**

Contec® offers buckets, wringers and carts that complete our mopping and wall washing systems. The symbols below represent our mop heads and appear beside the most compatible bucket systems.

- EL** Edgeless®
- VK** Regular VertiKlean®
- MVK** Medium VertiKlean®
- LVK** Large VertiKlean®
- VMX1** VertiKlean® MAX™ Regular
- VMX2** VertiKlean® MAX™ Medium
- VMX3** VertiKlean® MAX™ Large
- EZC** EasyCurve™
- QT** QuickTask™

Visit [www.vwr.com](http://www.vwr.com) for more information.

**Stainless Steel Bucket System 2601**  
 Round 8 gallon stainless steel bucket with downpress wringer

- Heavy-duty 22 gauge 304 nonmagnetic deep-drawn seamless stainless steel construction.
- Order part number 2621/80 downpress wringer with basket insert to complete the system.
- All components are autoclavable.

**APPLICATIONS**

- Stainless steel construction is ideal for aseptic processing areas.
- Compatible with all styles of Edgeless Mops.



**ORDERING INFORMATION**

VWR Cat. No.	Contec Part No.	Description
68310-004	2601	Stainless steel bucket, 8 gallon (30L), with 4 casters
33500-226	2621/80	Stainless steel downpress wringer with insert (for use with 2601)
68310-040	2680	Wringer insert (replacement part for 2601/80); use with Edgeless Mops

**Polypropylene Bucket Systems 2720, 2721**  
 Autoclavable polypropylene cart with one or two buckets

Fully autoclavable rolling cart with one or two 6.5 gallon (25L) buckets and wringer. Durable, yet lightweight construction makes Contec's 2720 and 2721 bucket systems maneuver around cleanrooms. Double bucket system for differentiation between cleaning and rinsing solution.

**APPLICATIONS**

- Compact design makes 2720 and 2721 ideal for smaller cleanrooms.
- Compatible with all styles of Edgeless Mops.



**ORDERING INFORMATION**

VWR Cat. No.	Contec Part No.	Description
33501-018	2720	Polypropylene double bucket system, two 6.5 gal (25L) buckets, (red, blue) wringer, cart with casters
33501-020	2721	Polypropylene single bucket system, one 6.5 gallon (25L) bucket (red), wringer, cart with casters

## Twin Divided Bucket with Slinger 2743

Polypropylene bucket, 5.3 gallons (20L), green

Autoclavable 5.3 gallon (20L) divided bucket with our specially designed polyester Slinger and stainless steel frame. Bale-style handles allow for easy lifting and transport. Includes a well-fitting lid to eliminate liquid spillage during transport. Use one side for cleaning and disinfecting solutions, and the other for dirty waste solution. 4 non-autoclavable casters are included.

### APPLICATIONS

- Compatible with VertiKlean MAX and EasyCurve mopping systems.
- Ideal for smaller controlled environments and labs with limited storage space.



89201-146 (2743)



### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
89201-146	2743	Twin divided bucket w/ Slinger and frame, 5.3 gal (20L), green; 4 non-autoclavable casters
89212-444	2747	Slinger insert, 100% polyester (replacement part only for 2743 bucket)

## Autoclavable Bucket with Slinger™ 2726

Polypropylene bucket with Slinger and frame, 6.5 gallon (25L), blue

Contec's 2726 bucket system features a blue autoclavable 6.5 gallon (25L) polypropylene bucket with our specially designed polyester Slinger™ wringer and stainless steel frame. The Slinger is a rugged polyester mesh "sling" style wringer that easily installs over the bucket.

For added mobility, a heavy-duty stainless steel trolley with 4 autoclavable casters is sold separately 2728. For those customers with protocols that require double- or triple-bucket systems, a stainless steel accessory kit is available to securely connect two or three trolleys together 2729.

### APPLICATIONS

- Compatible with EasyCurve and VertiKlean MAX mopping systems.
- Fully autoclavable bucket, Slinger and trolley for use in sterile environments.



89073-980 (2726)  
shown with 89073-984 (2728)



### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
89073-980	2726	Polypropylene bucket with Slinger and frame, 6.5 gallon (25L), blue
89073-984	2728	Stainless steel bucket trolley (caster base with four casters)
89073-986	2729	Stainless steel connecting kit
89073-982	2727	Replacement Slinger insert, 100% polyester



89073-984 (2728)  
Caster bases can be connected to form a multi-bucket system.



The bucket systems featured on this page are compatible with our EasyCurve™ and VertiKlean® MAX™ mops. Consult with your Contec Sales Representative for assistance in selecting the best mopping or wall washing system for your specific needs.



## Stainless Steel & Polypropylene Double Bucket System with Slinger™ 2622

Stainless cart with a removable handle, two 6.5 (25L) buckets, and Slinger

Contec's 2622 bucket system features a stainless steel rolling cart with two 6.5 gallon (25L) autoclavable polypropylene buckets, one blue and one red, and our polyester Slinger wringer. Use the blue bucket for cleaning and disinfecting solutions, and the red bucket for rinsing. Buckets are graduated with both metric and English measurements. The Slinger™, a rugged polyester mesh "sling" style wringer with stainless steel frame, installs over the bucket's edge. The Cart features a removable handle for easier autoclaving and storage.

The durable yet lightweight cart has four casters, two that lock easily with the touch of a foot. Offering maximum flexibility, the system can be used with two or three buckets, depending upon your cleaning protocols. An extendable frame pulls out of the front of the cart to accommodate an additional bucket. Included stainless steel connecting kit prevents drips between buckets.

94025-804  
(2622)



### APPLICATIONS

- Ideal for controlled environments with small autoclaves.
- Compatible with all EasyCurve and VertiKlean MAX mops.

### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
94025-804	2622	Stainless steel cart with two polypropylene buckets (blue, red), 6.5 gallon (25L), with Slinger frame, casters
89198-842	UBKT0003	Polypropylene bucket, 6.5 gallon (25L), gray
94025-808	UBKT0002	Polypropylene bucket, 6.5 gallon (25L), red (replacement part)
94025-806	UBKT0001	Polypropylene bucket, 6.5 gallon (25L), blue (replacement part)
89073-982	2727	Slinger insert, 100% polyester (replacement part)

## Compact Stainless Steel & Polypropylene Double Bucket System 2757

Stainless cart with removable handle and two 5 gallon (19L) polypropylene buckets

Contec's 2757 bucket system features a stainless steel rolling cart with two autoclavable polypropylene buckets, one gray and one red, and options for a heavy-duty stainless steel downpress wringer or flat mop wringer or Slinger™ wringer (purchased separately). A third bucket, blue in color, is available for use when a three bucket system is required. Compact design improves maneuverability and reduces storage space. The 2757 cart features a removable handle for easier autoclaving and storage.

The durable yet lightweight cart has four casters, two fixed and two that swivel and lock easily with the touch of a foot. The system can be used with two or three buckets, depending upon your cleaning protocols. An extendable frame pulls out of the front of the cart to accommodate an additional bucket. Included stainless steel connecting kit prevents drips between buckets.

### APPLICATIONS

- Ideal for cleanrooms and controlled environments with small autoclaves or limited storage space.
- Compatible with all Contec mops, depending upon wringer choice.



Cart 89198-840  
(2757) shown  
with Slinger™  
TBD (2759)

### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
89198-840	2757	Stainless steel cart with two 5 gallon (20L) polypropylene buckets (red, gray), connecting kit, casters; wringer must be purchased separately
33502-260	2710	Stainless steel downpress wringer (for Edgeless Mops and flat mops)
89198-850	2756	Stainless steel flat mop wringer (for VertiKlean, VertiKlean MAX and QuickTask)
89212-446	2759	Slinger™ and stainless steel frame, for 2757 system only (for EasyCurve)
89198-848	UBKT0006	Polypropylene bucket, 5 gallon (20L), blue

## Stainless Steel Multi-Bucket System 2700

### Stainless steel cart with two buckets and downpress wringer

33501-014  
(2700)

Contec's 2700 stainless steel bucket system is lightweight and easy-to-maneuver. The cart is fully autoclavable and features non marring wheels. For maximum flexibility, this cart can be used with two or three 5 gallon (19L) buckets. An extendable frame pulls out of the front of the cart to accommodate an additional bucket. The improved stainless steel downpress wringer is compatible with all sizes of the VertiKlean and VertiKlean MAX mops, all QuickTask Mops and all styles of Edgeless Mops.

- Cart dimensions: 26" x 24" x 36" (66cm x 60cm x 92cm) with handle, including casters.
- Handle is removable for easier autoclaving and storage.
- For added convenience, a basket designed for holding cleaning supplies is available for the cart handle.

#### APPLICATIONS

- Ideal for use in Life Sciences, Microelectronics, Semiconductor or any critical manufacturing environment.
- Compatible with all Edgeless Mops, VertiKlean and VertiKlean MAX mops, and QuickTask Mops.

#### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
33501-014	2700	Stainless steel system, two 5 gallon (19L) buckets, wringer, cart with casters
33502-260	2710	Stainless steel downpress wringer, replacement part
33503-124	2617	5 gallon (19L) bucket, stainless steel, 21" x 13" x 8" (53 x 33 x 20cm), replacement part



## Stainless Steel & Polypropylene Double Bucket System 2620

### Stainless cart with removable handle and two 6.5 gallon (25L) buckets

Contec's 2620 bucket system features a stainless steel rolling cart with two 6.5 gallon (25L) autoclavable polypropylene buckets, one blue and one red, and a heavy-duty stainless steel downpress wringer. Use the blue bucket for cleaning and disinfecting solutions, and the red bucket for rinsing. An additional gray bucket is available for use as an extra rinse. The 2620 cart features a removable handle for easier autoclaving and storage.

The durable yet lightweight cart has four casters, two that lock easily with the touch of a foot. An extendable frame pulls out of the front of the cart to accommodate an additional bucket. Stainless steel connecting kit prevents drips between buckets.

#### APPLICATIONS

- Ideal for use in any critical manufacturing environment.
- Compatible with all Edgeless Mops, VertiKlean and VertiKlean MAX mops, QuickTask Mops.

#### ORDERING INFORMATION

VWR Cat. No.	Contec Part No.	Description
94002-684	2620	Stainless steel cart with two 6.5 gallon (25L) polypropylene buckets (red, blue), stainless steel wringer, casters
89198-842	UBKT0003	Polypropylene bucket, 6.5 gallon (25L), gray
94025-806	UBKT0001	Polypropylene bucket, 6.5 gallon (25L), blue (replacement part)
94025-808	UBKT0002	Polypropylene bucket, 6.5 gallon (25L), red (replacement part)
33502-260	2710	Stainless steel downpress wringer (replacement part)
89073-986	2729	Stainless steel connecting kit (replacement part)



94002-684  
(2620)





## Correct Mopping Protocol For 2-bucket and 3-bucket systems

These diagrams are guides for proper mopping technique when using a two or three bucket system. Always follow your site-specific cleaning protocols.




Bucket System  
89198-840 (2757)  
and wringer  
33502-260 (2710)




Bucket System 89198-840  
(2757) shown with additional  
bucket 89198-848 (UBKT0006)  
and wringer 89198-848 (2756)

### TWO-BUCKET MOPPING PROTOCOL



### THREE-BUCKET MOPPING PROTOCOL





*Contec offers several disinfectant solutions to complement our mopping and wall washing systems. Your regional Contec Sales Representative can recommend the best solution for your cleaning needs.*

## **Accel TB® Disinfectant** Ready-to-use disinfectant solution & wipes

Accel TB is an EPA registered intermediate level disinfectant that is safe and fast acting with a broad spectrum kill. It is based on Accelerated Hydrogen Peroxide technology (AHP), a synergistic blend of commonly used, safe ingredients that, when combined with low levels of hydrogen peroxide, dramatically increase its germicidal potency and cleaning performance.

Compatible with an extensive list of common materials, including 316 & 304 stainless steel, natural & silicone rubber, and most plastics. Ideal for use on environmental surfaces in pharmaceutical cleanrooms, compounding pharmacies, labs and other GMP facilities.

- *Solution is available in 32 ounce, 1 gallon and 5 gallon containers*
- *Now available in convenient presaturated wipes, 160 wipes/canister*



## **Accel® Concentrate** Surface Cleaner and Disinfectant

Accel Concentrate is a powerful intermediate disinfectant in a concentrated format that requires dilution based on the intended use. Designed for use in all areas that require environmental cleaning and surface disinfection. Utilizing the same Accelerated Hydrogen Peroxide® (AHP®) technology found in Accel TB Ready-to-use solution and wipes, Accel is effective against a broad-spectrum of pathogens in only 5 minutes!

- *Bactericidal, virucidal, fungicidal*
- *Cost-effective concentrated formula*
- *Broad spectrum kill claims*
- *Non-hazardous; no special shipping or storage requirements*



Contec® cleaning and disinfecting products are available throughout the world. Sales Representatives are conveniently located in North and South America, Europe and Asia. Visit our web site to find a representative in your area and to learn more about our products for critical environments.

*Presaturated Wipes*

*Knitted Wipes*

*Nonwoven Wipes*

*Mopping Systems*

*Sterile Products*

*Disinfectants*

*Spill Control Products*

*Sponges*

*Swabs*



*Contec, Inc. is an  
ISO 9001 registered  
company.*

© 2011 Contec, Inc. All rights reserved.  
1211sou4k CAT008 122011

Prices, product appearance, and specifications are current at the time of printing, subject to change without notice. Availability for certain products may be limited by federal, state, provincial, or local licensing requirements. VWR makes no claims or warranties concerning sustainable/green products. Any claims concerning sustainable/green products are the sole claims of the manufacturer and not those of VWR International, LLC. All prices are in U.S. dollars unless otherwise noted. Offers valid in USA and Canada, void where prohibited by law or company policy, while supplies last. Visit [vwr.com](http://vwr.com) to view our privacy policy and additional disclaimers.

VWR, forms of VWR, and the VWR logo and/or design are either registered trademarks ®, trademarks ™, or service marks ℠ of VWR International, LLC in the United States and/or other countries. All other marks referenced herein are registered trademarks, trademarks, or service marks of their respective owner(s). For a complete list of trademark owners please visit [vwr.com](http://vwr.com).

©2011 VWR International, LLC. All rights reserved.

1111 5M Lit. No. 03081